

Stock Place	Machine	Tonnage	Pack	IU	Screw Dia.	Controller	Other Options	Status
UK	JU5500 III	550t	Europe Pack	3430	B,80	Sigmathek	APZ0302 - Bi Metallic screw and barrel AFG1110 - Colour masterbatch machine signal interface JCA1400 - Increase of max mould height by 200mm AFF0310 - Interface for switch to verify ejector plate back SO - Mechanical preparation of hydraulic cascades	
UK	ZE900 III	90t	Europe Pack	210	B,32	Sigmathek	AFF1110 - Colour masterbatch machine signal interface EFF0310 - Mould ejector plate return confirmation switch ECC2100 - Location ring diameter ECQ0100 - Linear guide rail for injection unit	
UK	ZE1200 III	120t	Europe Pack	420	B,40	Sigmathek	AFF1110 - Colour masterbatch machine signal interface EFF0310 - Mould ejector plate return confirmation switch ECC2100 - Location ring diameter ECQ0100 - Linear guide rail for injection unit	
UK	MA2000 III	200t	Europe Pack	750	B,50	Keba 1180	APZ1102 - TSG2 fully hard Bi metallic screw and barrel	
China	ZE3800 F		Europe Pack	1700 h	B,65	Sigmathek	ECA0200 The maximum mould height shall be increased by 200mm (design per 200 if it is less than 200) and the minimum mould height shall be increased by 100mm	Reserved
China	ZE3000 F		Europe Pack	1700 h	B,65	Sigmathek	ECA0200 The maximum mould height shall be increased by 200mm (design per 200 if it is less than 200) and the minimum mould height shall be increased by 100mm	Reserved
China	MA900 III SE		Europe Pack	280	B,36	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA900 III SE		Europe Pack	280	B,36	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	Reserved
China	MA1200 III SE		Europe Pack	400	B,40	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	Reserved
China	MA2600 III SE		Europe Pack	1350	B,60	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA2600 III SE		Europe Pack	1350	B,60	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA2600 III SE		Europe Pack	1350	B,60	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA2600 III SE		Europe Pack	1350	B,60	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA2600 III SE		Europe Pack	1350	B,60	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA3200 III SE		Europe Pack	1800	B,65	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	MA3200 III SE		Europe Pack	1800	B,65	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	
China	JU6500V		Europe Pack	4650	B	3000	APZ0302 Class wear proof plasticizing unit JCA1600 300mm Increase of max. mould height by 300mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HTIG	
China	ZE600V		Europe Pack	120	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
China	ZE600V		Europe Pack	120	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
China	ZE600V		Europe Pack	120	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
China	ZE1200V		Europe Pack	430	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	Reserved
China	ZE1900V		Europe Pack	830	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	Reserved
China	ZE3600V		Europe Pack	2250	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
China	MA900V		Europe Pack	280	B	3000	KEBA3000 Controller, 15" touch screen APZ0902 GP class wear proof plasticizing unit-B type AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface	Reserved
China	MA900V		Europe Pack	280	B	3000	KEBA3000 Controller, 15" touch screen APZ0902 GP class wear proof plasticizing unit-B type AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface	
Ship								
Ship	JU5500V		Europe Pack	3450	B	3000	APZ0302 Class wear proof plasticizing unit JCA1400 200mm Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HTIG	Reserved
Ship	JU5500V		Europe Pack	3450	B	3000	APZ0302 Class wear proof plasticizing unit JCA1400 200mm Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HTIG	Reserved
Ship	JU5500V		Europe Pack	3450	B	3000	APZ0302 Class wear proof plasticizing unit JCA1400 200mm Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HTIG	Reserved
Ship	JU6500V		Europe Pack	4650	B	3000	APZ0302 Class wear proof plasticizing unit JCA1600 300mm Increase of max. mould height by 300mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HTIG	Reserved
Ship	JU6500V		Europe Pack	4650	B	3000	APZ0302 Class wear proof plasticizing unit JCA1600 300mm Increase of max. mould height by 300mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HTIG	Reserved

Ship	JU7500V		Europe Pack	6750	B	3000	APZ0302 Class wear proof plasticizing unit JCA1600 300mm Increase of max. mould height by 300mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	Reserved
Ship	JU7500V		Europe Pack	6750	B	3000	APZ0302 Class wear proof plasticizing unit JCA1600 300mm Increase of max. mould height by 300mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ship	JU9000V		Europe Pack	6750	B	3000	APZ0302 Class wear proof plasticizing unit JCA1600 300mm Increase of max. mould height by 300mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	Reserved
Ship	JU10800V		Europe Pack	8950	B	3000	APZ0302 Class wear proof plasticizing unit AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	Reserved
Stock Place	Machine		Pack	IU	Screw Dia.	Controller	Other Options	Status
Ship	ZE600V		Europe Pack	120	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE900V		Europe Pack	210	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE1200V		Europe Pack	430	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	Reserved
Ship	ZE1200V		Europe Pack	430	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE1200V		Europe Pack	430	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE1200V		Europe Pack	430	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE1500V		Europe Pack	640	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	Reserved
Ship	ZE1500V		Europe Pack	640	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE1500V		Europe Pack	640	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE3000V		Europe Pack	1700	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	Reserved
Ship	ZE3000V		Europe Pack	1700	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE3600V		Europe Pack	2250	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE3600V		Europe Pack	2250	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	ZE3600V		Europe Pack	2250	B	Sigmathek	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole ECQ0100 Linear guide rail	
Ship	MA900V		Europe Pack	280	B	3000	Keba3000 controller, 15" touch screen APZ0902 GP class wear proof plasticizing unit-B type AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface	Reserved
Ship	MA2000V		Europe Pack	750	B	3000	Keba3000 controller, 15" touch screen APZ0902 GP class wear proof plasticizing unit-B type AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface	Reserved
Ship	MA1600 V		Europe Pack	570	B	3000	Keba3000 controller, 15" touch screen APZ0902 GP class wear proof plasticizing unit-B type AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface	Reserved
Ship	MA3200 V		Europe Pack	1700	B	3000	Keba3000 controller, 15" touch screen APZ1102 ≤ 30% glass fibre shell industry plasticized parts (common mixed colour)-B type AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface	Reserved
Ebermannsdorf								
Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	Reserved
Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	

Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU4500III		Europe Pack	2230	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) JCA1400 Increase of max. mould height by 200mm (no change of mould opening stroke) AFG1110 Colour masterbatch machine signal interface AFF0311 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	MA2100 III Plus		Universal	750	B,50	1180	APZ1102 Optional double flight TGS2 fully hard screw bi-Metal barrel	
Ebermannsdorf	MA2100 III Plus		Universal	1000	B,55	1180	APZ0602 - Optional double-flight nitriding screw nitriding barrel type B	
Ebermannsdorf	MA2000 III Eco		Europe Pack	750	B,50	1180	APZ1102 Optional double-flight TGS2 fully-hard screw bi-metal barrel type B	
Stock Place	Machine		Pack	IU	Screw Dia.	Controller	Other Options	Status
Ebermannsdorf	MA2000 III Eco		Europe Pack	750	B,50	2985	ABF0100 Keba 2985 APZ1102 Optional double-flight TGS2 fully-hard screw bi-metal barrel (type B) AIE0110 Closed-loop temperature control at barrel feed opening	
Ebermannsdorf	ZE600 III		Europe Pack	120	B,26	Sigmatex CCP621	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC1104 Enlargement of moving platens center hole instead ECQ0100 Linear guide rail	Reserved
Ebermannsdorf	ZE1200 III		Europe Pack	300	B,36	Sigmatex CCP621	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC2100 Special size of the center hole of the movable platen (diameter ϕ to max. allowed dimensions) ECQ0100 Linear guide rail	Reserved
Ebermannsdorf	ZE1200 III		Europe Pack	300	B,36	Sigmatex CCP621	EFG1210 Colour masterbatch signal interface EFF0310 Mould eject plate retract safe confirmation switch interface ECC2100 Special size of the center hole of the movable platen (diameter ϕ to max. allowed dimensions) ECQ0100 Linear guide rail ECA0100 - The maximum mould height shall be increased by 100mm design per 100 if it is less than 10 EFH0110 - I/O free programming 6 in 6 out EFI0211 - Authorize OPC UA function - single machine authorization (B) EBG0910 - Additional one set of socket, 230V-1P, 16A (CE) EFB0110 - Leakage protection for 32A per external plug ECG2117 - 4 sets of Wittmann-101 glass tube flowmeter 10L/min no water pipe connected EPZ4002 - It is optionally equipped with 3-Zone type TGS3 fully-hard screw bi-metal barrel (dedicated) EFF0110 - 1 set of mould temperature display electrical interface each for the fixed and movable platen increased of heating capacity to 450° for the use of PEEK Controller Upgrade IPC221 to connect a external panel -> DVI Interface EFD0210_DE - Energy consumption display IU210h-300 EBA1010_DE_VE/ZE1200 - Closing force adjustment	
Ebermannsdorf	MA2000 III		Europe Pack	750	B,50	2985	APZ1102 Optional double-flight TGS2 fully-hard screw bi-metal barrel type B AFG1110 Colour masterbatch machine signal interface AFF0310 Ejector back safety switch interface ABF0100 Optional KEBA 2985 (CP053) controller with 15" touch screen panel	
Ebermannsdorf	JU4500III		Europe Pack	1730	ϕ 65	2985 - 15" RFID Card	JCI2010 8 zones hydraulic VALVE-GATE function with 2.2KW independent power to hold pressure, JCA1400 Increase of max. mould height by 200mm (increase of max. daylight by 200mm) , JFG1110 Colour masterbatch signal interface, JFG0310 Mould eject plate retract safe confirmation switch interface, EPZ3902 Optionally equipped with type H TGS2 fully-hard screw bi-metal barrel JFH0110 I/O free programming 6 in 6 out, JFG1310 PSG interface (External hot runner interface) , ICH7200 Independent Core puller power 18.5KW, SO1 OPC - UA, SO2 Hilectro robot Integration : EFi0410	
Ebermannsdorf	MA4500K		Europe Pack	760	ϕ 50	2985	See in the attachment	Reserved
Ebermannsdorf	JU4500 SE		Europe Pack	2400	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	Reserved
Ebermannsdorf	JU4500 SE		Europe Pack	2400	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU4500 SE		Europe Pack	2400	B,70	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU5500 SE		Europe Pack	3100	B,80	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU5500 SE		Europe Pack	3100	B,80	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU6500 SE		Europe Pack	4300	B,85	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	
Ebermannsdorf	JU7500 SE		Europe Pack	5050	B,90	2985	APZ0302 Optional type H bi-metal screw bi-metal barrel (type B) AFG1110 Colour masterbatch machine signal interface AFF0310 Interface for switch to verify ejector-plate-back safety SO Mechanical preparation for retrofit hydraulic cascade 8 zones in HITG	Reserved
Ebermannsdorf	MA2000 III SE		Europe Pack	1000	B,55	1180	APZ1102 Specialized plasticizing units for $\leq 30\%$ GF shell industry (medium mixing) (type B)	
Ebermannsdorf	MA2000 III SE		Europe Pack	1000	B,55	1180	APZ1102 Specialized plasticizing units for $\leq 30\%$ GF shell industry (medium mixing) (type B)	
Ebermannsdorf	MA2000 III SE		Europe Pack	1000	B,55	1180	APZ1102 Specialized plasticizing units for $\leq 30\%$ GF shell industry (medium mixing) (type B)	
Ebermannsdorf	MA2000 III SE		Europe Pack	1000	B,55	1180	APZ1102 Specialized plasticizing units for $\leq 30\%$ GF shell industry (medium mixing) (type B)	
Ebermannsdorf	MA1600 III SE		Europe Pack	570	B,45	1180	APZ1902 Optional double-flight TGS2 fully-hard screw bi-metal barrel (type B)	
Ebermannsdorf	MA1600 III SE		Europe Pack	570	B,45	1180	APZ1902 Optional double-flight TGS2 fully-hard screw bi-metal barrel (type B)	Reserved
Ebermannsdorf	MA1600 III SE		Europe Pack	570	B,45	1180	APZ1902 Optional double-flight TGS2 fully-hard screw bi-metal barrel (type B)	Reserved

Ebermannsdorf	MA1600 III SE		Europe Pack	570	B,45	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	Reserved
Ebermannsdorf	MA1600 III SE		Europe Pack	570	B,45	1180	APZ1102 Specialized plasticizing units for ≤30%GF shell industry (medium mixing) (type B)	Reserved
Ebermannsdorf	MA1600 III SE		Europe Pack	570	B,45	2985	ABF0100 Keba 2985 APZ1902 Optional double-flight TGS2 fully-hard screw bi-metal barrel (type B) AIE0110 Closed-loop temperature control at barrel feed opening	Reserved
Stock Place	Machine		Pack	IU	Screw Dia.	Controller	Other Options	Status
Ebermannsdorf	JE9000III		Europe Pack	7000	C,110	Sigmathek CIPC171	EPZ3903 High wear-resistant plasticizing units (≤ 30%GF suitable, 3-zones screw,≤350° processing temperature)- C screw JCA1600 Increase of max. mould height by 300mm (no change of mould opening stroke) JBA0410 Operator side working platform on Clamping unit side (anti-skid plate, for IU9000-IU21000) JCI21108 zones hydraulic VALVE-GATE function with 2.5L accumulator to hold pressure CE JCI7110 Hydraulic valve-gate decompression function JCH1300 Three set of hydraulic core puller on fixed platen JCH1510 Install decompression function for three set of hydraulic core puller on fixed platen JCH8510 Fixed platen two zones pneumatic Core puller (φ10) JCH9410 Moving platen two zones pneumatic Core puller (φ10) JCI8610 Four zones pneumatic VALVE-GATE function (φ10) JFD0210 Intelligent energy consumption computer display for the whole machine EII0110 Energy-efficient insulation cover for barrel JCG1800 Fixed platen glass-tube cooling water flowmeter (Wittmann) -8 (water pipe connected) JCG3910 Moving platen glass-tube cooling water flowmeter (Wittmann) -8 (water pipe connected) JCG0610 Fixed platen glass-tube cooling water flowmeter (Wittmann) -4 (water pipe connected) many more....	
Gesamtergebnis								